


► DIMENSIONI DI INGOMBRO LEADING DIMENSIONS



► **TABELLA DELLE PORTATE PERFORMANCE**



► **TABELLA INGOMBRI LEADING DIMENSIONS**

FLANGE-Flanges PN 10 UNI 2277	FLANGE ASPIRAZIONE Suction flanges							FLANGIA DI SCARICO Outlet flange				
TIPO Type	Øi DNA	Øe. u1	C.f. v1	FORI - Holes				Øi DNM	Øe. u	C.f. v	FORI - Holes	
				Øt1	N°	Mt2	N°				Øt	N°
ALBV55/2000	150	285	240	22	4	M18	4	250	406	350	22	12
ALBV75/2000	200	343	295	22	5	M18	3	250	406	350	22	12
ALBV95/2000	250	406	350	22	8	M18	4	300	485	400	22	12

TIPO Type	POMPA Pump																				PIEDI DI APPOGGIO Feet					ALBERO Shaft				PESO Weight	
	a	b	e1	e2	g1	g2	h	h1	h2	i	m	m1	m2	n	n1	n2	p1	p2	q	x	j gas	c	e	f	g	p	d	l	w	z	kg
ALBV55/2000	892	711	607	426	176	198	470	597	712	911	1104	419	541	376	320	551	127.5	149.5	1603	175	3/4"	670	570	30	730	827	80	170	22	85	1600
ALBV75/2000	1091	893	751	553	195	268	540	698	812	1040	1293	511	610	503	370	708	135	208	1984	198	1"	780	680	35	830	950	110	190	28	116	2620
ALBV95/2000	1132	916	712	496	192	292	595	738	895	1158	1424	557	662	436	452	690	132	232	2048	215	1"	960	840	35	940	1060	110	210	28	116	3500